

CONTENTS

Cyst forming nematodes in India – A review --K.K. Kaushal, A.N. Srivastava, Pankaj, Gautam Chawla and Khajan Singh	--	1
Morphometric variations in Indian populations of <i>Heterodera cajani</i> -II: Eggs, cysts and cone top structures --M. Abdollahi, A.K. Ganguly and K.K. Kaushal	--	8
Influence of <i>Meloidogyne incognita</i> and <i>Sclerotinia sclerotiorum</i> alone and in combined inoculations on <i>Mentha arvensis</i> --Kahkashan Perveen, Akhtar Haseeb and Prabhat Kumar Shukla	--	15
Management of <i>Meloidogyne incognita</i> - <i>Fusarium oxysporum</i> disease complex of <i>Pisum sativum</i> --Akhtar Haseeb, Arif Amin and Anita Sharma	--	19
Influence of soil salinity on reproduction and multiplication of root-knot nematode (<i>Meloidogyne incognita</i>) in cotton --K.K. Verma, R.K. Jain and S.K. Sharma	--	23
Management of potato cyst nematodes, <i>Globodera</i> spp. through biological control --N. Seenivasan, K. Devrajan and N. Selvaraj	--	27
Bioactivity of commercial products of <i>Bacillus thuringiensis</i> on <i>Meloidogyne incognita</i> infecting tomato --M.A. Radwan	--	30
Three species of criconematids from Manipur --N. Mohilal and M. Pramodini	--	34
Intra-specific variations in <i>Rotylenchulus reniformis</i> Linford and Oliveira, 1940 from Eastern India --S. Ghosh and M.R. Khan	--	41
Influence of phosphorus levels and phosphorus solubilising bacteria (PSB) application methods on rice-root nematode population in rice-based cropping system --R. Mahender Kumar, J.S. Prasad, M. Sankar and A.G.K. Murthy	--	50
Impact of organic soil amendments and nematicides on <i>Meloidogyne javanica</i> infecting tomato --Faheem Ahmad, Mohmad Azhar Rather and Mansoor A. Siddiqui	--	55
Occurrence, distribution and community analysis of plant parasitic nematodes associated with leguminous vegetable crops in West Bengal --K. Roy, A.K. Mukhopadhyay and A. Pramanik	--	58
Application methods for <i>Monacrosporium ellipsosporum</i> to control <i>Meloidogyne incognita</i> and the effect of simultaneous application with a nematicide --S. Taba, Z. Moromizato, K. Takaesu, A. Ooshiro and K. Nasu	--	63
Community analysis of plant parasitic nematodes associated with agricultural crops in Junagadh district of Gujarat and Diu-Union Territory --A.D. Patel, Bindu K. Panickar, B.A. Patel and D.J. Patel	--	68
A report on the relative abundance of tylenchida, dorylaimida and mononchida population of guava orchards in 24-Parganas (South), West Bengal, India --Debabrata Sen, Amalendu Chatterjee and Buddhadeb Manna	--	72
Effect of split application of cadusafos and carbofuran on reproduction and fecundity of maize cyst nematode, <i>Heterodera zea</i> and maize growth --A.N. Srivastava and Jagan Lal	--	78

SHORT COMMUNICATIONS

Neem for the control of root-knot nematode infecting tomato --Mohmad Azhar Rather and Mansoor A. Siddiqui	--	81
Screening of tomato varieties/lines for resistance against root-knot nematode (<i>Meloidogyne incognita</i>) --Gitanjali Devi, R.K. Yadav and N.S. Azad Thakur	--	83
Reaction of pulse genotypes for resistance to pigeonpea cyst nematode, <i>Heterodera cajani</i> --P. Kalaiarasan, M. Sivakumar and S. Subramanian	--	84
A new host record of <i>Meloidogyne incognita</i> and its life cycle --B. Bhagawati	--	85
Screening of rice germplasm/varieties for resistance against root-knot nematode (<i>Meloidogyne graminicola</i>) --Gitanjali Devi and N.S. Azad Thakur	--	86
Predatory potential of <i>Tyrophagus putrescentiae</i> Schrank and <i>Lasioseius</i> sp. on plant parasitic nematodes --Ranjana Rani, Rachna Gulati and Kumkum Walia	--	87
Management of reniform nematode, <i>Rotylenchulus reniformis</i> on mungbean through seed dressing --Shambhu Dayal and M.K. Sharma	--	89
Association of nematodes in edible mushrooms in Meghalaya --Gitanjali Devi and N.S. Azad Thakur	--	91
Screening of maize varieties against the spiral nematode, <i>Helicotylenchus indicus</i> --D. Kumar and U.S. Singh	--	93
New record of root-knot nematode, <i>Meloidogyne graminicola</i> infecting rice in Jammu --V.K. Singh, C.S. Kalia and V. Kaul	--	94
Occurrence and distribution of white tip nematode, <i>Aphelenchoides besseyi</i> in West Bengal, India --Tarun Kumar Das and M.R. Khan	--	94
Efficacy of <i>Arthrobotrys oligospora</i> substrate against root-knot nematode (<i>Meloidogyne incognita</i>) infecting tomato --Gitanjali Devi and N.S. Azad Thakur	--	97
Toxicity of some fungal culture filtrates on the development of <i>Meloidogyne incognita</i> in brinjal roots --S.N. Mahapatra and N.R. Sahani	--	99
Pathogenicity of spiral nematode, <i>Helicotylenchus indicus</i> and effect on chlorophyll content of maize --D. Kumar and U.S. Singh	--	101
Random amplified polymorphic DNA (RAPD) analysis of wheat lines/varieties against cereal cyst nematode, <i>Heterodera avenae</i> --Pankaj, Chitra Singh, Deepika Rohatgi, Anil Sirohi, S.M.S. Tomar, H.S. Gaur, S.P. Bishnoi, Rajeev Kumar, Veer Kishor, Ramesh Chand and S.M. Yadav	--	103
Occurrence of root-knot nematode, <i>Meloidogyne incognita</i> on maize in Jammu --V.K. Singh, C.S. Kalia and V. Kaul	--	104
Biochemical basis of resistance in chickpea varieties against the root-knot nematode, <i>Meloidogyne incognita</i> --Gautam Chawla and Pankaj	--	105
Community analysis of plant-parasitic nematodes in pineapple ecosystem in Meghalaya --Gitanjali Devi	--	106
Identification of root-knot nematode, <i>Meloidogyne incognita</i> race prevailing in Chittoor district of Andhra Pradesh --P. Harianth Naidu, V. Haritha, M. John Sudheer and J.S. Prasad	--	107